



ARC8

Pricelist

MY 2026

OVERVIEW

ROAD	3	ARC8 WHEELS	43
ESCAPEE DB	4	GRAVEL/ROAD WHEELS	44
ESCAPEE DB FRAMESETS	5		
ESCAPEE DB 105 DI2	6		
ESCAPEE DB ULTEGRA DI2	7		
ESCAPEE DB DURA ACE DI2	8		
ESCAPEE DB RED	9		
GRAVEL	10		
EERO	11		
EERO FRAMESETS	12		
EERO GRX 1X12	13		
EERO GRX 2X12	14		
EERO GRX DI2 1X12	15		
EERO GRX DI2 2X12	16		
EERO FORCE XPLR 1X13	17		
EERO RED XPLR 1X13	18		
MOUNTAIN	19		
EVOLVE FS	20		
EVOLVE FS FRAMESETS	21		
EVOLVE FS XT	22		
EVOLVE FS GX AXS	23		
EVOLVE FS XTR DI2	24		
EVOLVE FS XX SL FA	25		
ESSENTIAL	26		
ESSENTIAL FRAME SETS	27		
ESSENTIAL XT	28		
ESSENTIAL GX AXS	29		
ESSENTIAL XT DI2	30		
EXTRA COIL/AIR	31		
EXTRA FRAME SETS	32		
EXTRA AIR XT	33		
EXTRA AIR GX AXS	34		
EXTRA AIR X0 AXS	35		
EXTRA COIL XT	36		
EXTRA COIL GX AXS	37		
EXTRA COIL X0 AXS	38		
EVOLVE HT	39		
EVOLVE FRAME SETS	40		
EXTRA ST	41		
EXTRA FRAME SETS	42		

ARC8



ROAD

ESCAPEE DB



ARC8 ESCAPEE DB, Shimano Dura Ace 12s Di2, DT Swiss ARC 1400 DICUT

Category	Road
Frame weight	810 g (raw, size 54)
Fork weight	325 g (cut to fit size 54)
Seatpost	185 g
Sizes	48 / 51 / 53 / 57 / 60

Climbing	
Aero	
Comfort	
Gravel	

Color options (Name / Frame / Logo / Finish):

-  Pure Black / Black (Carbon) / Black / Matt
-  Ice-Blue / Blue-Carbon / White / Glossy
-  RTP (Ready to paint)

AERODYNAMIC & LIGHTWEIGHT.

Built to conquer any road from the hairpins of the Alpe d'Huez to the cobblestones of Paris-Roubaix, the Escapee is the complete package of lightweight, aerodynamics and all-day comfort. Whether you want to escape your competitors or your daily routine, this is your bike.

When we developed the escapee, we wanted to make a road bike. Not a climbing, aero or endurance bike – just the best road bike we could imagine. Because most of us end up riding the same bike most of the time.

We started with a classic road bike, optimized for lightweight, efficiency and handling. Then we came up with tube shapes that significantly improve aerodynamics with only minimal impact on weight or stiffness. Last but not least, we made sure the frame can handle tires as big as the brakes allow, for the smoothest ride and fastest rolling speed.

ESCAPEE DB FRAMESETS



FRAME	ARC8, Escapee DB UDH carbon
FORK	ARC8, Escapee DB carbon
SEAT POST	ARC8 SP Carbon 15mm offset, 400mm / Faserwerk Wuthocker 0mm offset, 400mm
HEADSET	ARC8
AXLE	M12xP1.5; 100mm & 142mm
STEM	ICH Stem
HANDLEBAR	Carbon handlebar / Faserwerk Luftschneider

ESCAPEE DB 105 DI2

SPECIFICATION

FRAME	ARC8 Escapee DB UDH carbon
FORK	ARC8 Escapee DB carbon
SEATPOST	ARC8 SP Carbon 15mm offset, 400mm / Faserwerk Wuthocker 0mm offset, 400mm
HEADSET	ARC8
AXLE	M12xP1.5; 100mm & 142mm
STEM	ICH Stem
HANDLEBAR	Alloy handlebar
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia SLR Boost Superflow
BRAKE / SHIFT LEVER	Shimano 105 Di2 R7170 12 speed
BRAKE / SHIFT LEVER	Shimano 105 Di2 R7170 12 speed
FRONT ROTOR	Shimano CL700; 160mm
REAR ROTOR	Shimano CL700; 140mm
CRANKSET	Shimano 105 R7100; 12sp; 50/34
FRONT DERAILLEUR	Shimano 105 Di2; R7150; 12sp
REAR DERAILLEUR	Shimano 105 Di2; R7150; 12sp
CASSETTE	Shimano 105 R7100; 12sp; 11-34
CHAIN	Shimano 105 M7100
BOTTOM BRACKET	Shimano Bottom Bracket BBR60
BATTERY	Shimano BTDN300
CABLE	Shimano SD300 700mm / Shimano SD300 1200mm
FRONT WHEEL	NEWMEN Advanced A.50; 23mm inner width
REAR WHEEL	NEWMEN Advanced A.50; 23mm inner width
TUBE	Continental Race Tube Wide
FRONT TIRE	Wolfpack Road Race; 30mm
REAR TIRE	Wolfpack Road Race; 30mm

OPTIONS

HANDLEBAR	Carbon road handlebar
	Faserwerk Luftschneider
WHEELSET	ARC8 Carbon 50mm & DT 350 Hub & DT SWISS Aero Comp spokes
	DT SWISS ARC 1400 DICUT 55 mm

ESCAPEE DB ULTEGRA DI2

SPECIFICATION

FRAME	ARC8 Escapee DB UDH carbon
FORK	ARC8 Escapee DB carbon
SEATPOST	ARC8 SP Carbon 15mm offset, 400mm / Faserwerk Wuthocker 0mm offset, 400mm
HEADSET	ARC8
AXLE	M12xP1.5; 100mm & 142mm
STEM	Faserwerk Luftschneider
HANDLEBAR	Faserwerk Luftschneider
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia SLR Boost Superflow
BRAKE / SHIFT LEVER	Shimano Ultegra Di2 R8170 12 speed
BRAKE / SHIFT LEVER	Shimano Ultegra Di2 R8170 12 speed
FRONT ROTOR	Shimano CL800; 160mm
REAR ROTOR	Shimano CL800; 140mm
CRANKSET	Shimano Ultegra R8100; 12sp; 50/34
FRONT DERAILLEUR	Shimano Ultegra Di2; R8150; 2×12sp
REAR DERAILLEUR	Shimano Ultegra Di2; R8150; 2×12sp
CASSETTE	Shimano Ultegra R8101; 12sp; 11–34
CHAIN	Shimano Ultegra M8100
BOTTOM BRACKET	Shimano Bottom Bracket BBR60
CABLE	Shimano SD300 700mm / Shimano SD300 1200mm
BATTERY	Shimano BRDN300
FRONT WHEEL	NEWMEN Advanced A.50; 23mm inner width
REAR WHEEL	NEWMEN Advanced A.50; 23mm inner width
TUBE	Continental Race Tube Wide
FRONT TIRE	Wolfpack Road Race; 30mm
REAR TIRE	Wolfpack Road Race; 30mm

OPTIONS

WHEELSET	ARC8 Carbon 50mm & DT 350 Hub & DT Aero Comp
	DT SWISS ARC 1400 DICUT 55 mm

ESCAPEE DB DURA ACE DI2

SPECIFICATION

FRAME	ARC8 Escapee DB UDH carbon
FORK	ARC8 Escapee DB carbon
SEATPOST	ARC8 SP Carbon 15mm offset, 400mm / Faserwerk Wuthocker 0mm offset, 400mm
HEADSET	ARC8
AXLE	M12xP1.5; 100mm & 142mm
STEM	Faserwerk Luftschneider
HANDLEBAR	Faserwerk Luftschneider
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia SLR Boost Superflow
BRAKE / SHIFT LEVER	Shimano Dura Ace R9270 12 speed
BRAKE / SHIFT LEVER	Shimano Dura Ace R9270 12 speed
FRONT ROTOR	Shimano CL900; 160mm
REAR ROTOR	Shimano CL900; 140mm
CRANKSET	Shimano Dura Ace R9200; 12sp; 50/34
FRONT DERAILLEUR	Shimano Dura Ace Di2; R9250; 12sp
REAR DERAILLEUR	Shimano Dura Ace Di2; R9250; 12sp
CASSETTE	Shimano Dura Ace R9200; 12sp; 11-34
CHAIN	Shimano Dura Ace M9100
BOTTOM BRACKET	Shimano Bottom Bracket BBR60
CABLE	Shimano SD300 700mm / Shimano SD300 1200mm
BATTERY	Shimano BRDN300
FRONT WHEEL	DT Swiss ARC 1400 DICUT 55 mm
REAR WHEEL	DT Swiss ARC 1400 DICUT 55 mm
TUBE	Continental Race Tube Wide
FRONT TIRE	Wolfpack Road Race; 30mm
REAR TIRE	Wolfpack Road Race; 30mm

ESCAPEE DB RED PM

SPECIFICATION

FRAME	ARC8 Escapee DB UDH carbon
FORK	ARC8 Escapee DB carbon
SEATPOST	ARC8 SP Carbon 15mm offset, 400mm / Faserwerk Wuthocker 0mm offset, 400mm
HEADSET	ARC8
AXLE	M12xP1.5; 100mm & 142mm
STEM	Faserwerk Luftschneider
HANDLEBAR	Faserwerk Luftschneider
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia SLR Boost Superflow
BRAKE / SHIFT LEVER	SRAM Red AXS HRD
BRAKE / SHIFT LEVER	SRAM Red AXS HRD
FRONT ROTOR	SRAM Paceline X; 160mm
REAR ROTOR	SRAM Paceline X; 140mm
CRANKSET	SRAM Red; Powermeter; 50/37
FRONT DERAILLEUR	SRAM Red AXS
REAR DERAILLEUR	SRAM Red AXS; 12sp
CASSETTE	SRAM Red AXS; 10–36
CHAIN	SRAM Red
BOTTOM BRACKET	SRAM Bottom Bracket DUB
BATTERY	SRAM Powerpack incl. charger
FRONT WHEEL	DT Swiss ARC 1400 DICUT 55 mm
REAR WHEEL	DT Swiss ARC 1400 DICUT 55 mm
TUBE	Continental Race Tube Wide
FRONT TIRE	Wolfpack Road Race; 30mm
REAR TIRE	Wolfpack Road Race; 30mm

ARC8

GRAVEL

EERO



ARC8 EERO, Shimano GRX Di2 2x12sp, ARC8 carbon wheels

Category
Frame weight
Fork weight
Sizes

Gravel
990 g (raw, size M)
395 g (cut to fit size M)
S / M / L / XL

Climbing
Aero
Comfort
Gravel
Trail



Color options (Name / Frame / Logo / Finish):

Color 1: Emerald Green / Dark Green / Bronze / Shiny

Color 2: Shiny Blaze / Chamäleon Copper / Black / Shiny



RTP (Ready to paint)

FAST ON TARMAC. INVINCIBLE ON GRAVEL.

The Eero is built to be fast on tarmac but best on gravel. With aerodynamic tube shapes, cables hidden from the wind, a lightweight frame and the ability to run double chainrings, this bike does not hold you back on paved roads.

Designing the frame specifically with the latest gravel groupsets in mind, allowed us to create space for tires up to 700c x 50. We designed the geometry to increase confidence in challenging terrain without losing the sharpness, responsivity and quick handling we love about drop bar bikes.

All this combined means you will fly along gravel roads like Eero, leaving your competition in the dust.

EERO FRAMESETS



FRAME	ARC8 Eero UDH, Carbon
FORK	ARC8 Eero, Carbon
SEAT POST	Faserwerk Wuthocker 0mm Offset, 400mm
HEADSET	ARC8
AXLE	M12xP1.5; 100mm & 142mm
STEM	ICH Stem
HANDLEBAR	Alloy handlebar with flare

EERO GRX 1X12

SPECIFICATION

FRAME	ARC8 Eero UDH Carbon
FORK	ARC8 Eero Carbon
SEATPOST	Faserwerk Wuthocker 0mm Offset, 400mm
HEADSET	ARC8
AXLE	M12xP15; 100mm & 142mm
STEM	ICH Stem
HANDLEBAR	Alloy handlebar with flare
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia Novus Boost
BRAKE / SHIFT LEVER	Shimano GRX; RX820; 12sp
BRAKE / SHIFT LEVER	Shimano GRX; RX820; 12sp
FRONT ROTOR	Shimano CL800; 160mm
REAR ROTOR	Shimano CL800; 160mm
CRANKSET	Shimano GRX RX820; 12sp; 42T
FRONT DERAILLEUR	w/o
REAR DERAILLEUR	Shimano GRX; RX822; 12sp
CASSETTE	Shimano GRX R8100; 11–51
CHAIN	Shimano Ultegra M8100
BOTTOM BRACKET	Shimano Bottom Bracket BBR60
FRONT WHEEL	DT SWISS G1800 SPLINE; 24MM INNER WIDTH
REAR WHEEL	DT SWISS G1800 SPLINE; 24MM INNER WIDTH
FRONT TIRE	Schwalbe G-One R Pro Evo; 622×45
REAR TIRE	Schwalbe G-One R Pro Evo; 622×45
TUBE	Tubeless with tire sealant

OPTIONS

HANDLEBAR	Carbon road handlebar
	Faserwerk Luftschneider
WHEELSET	NEWMEN ADVANCED G.34; 25MM INNER WIDTH
	ARC8 Carbon 35mm & DT 350 Hub & DT Aero Comp
	DT SWISS GRC 1400 SPLINE

EERO GRX 2X12

SPECIFICATION

FRAME	ARC8 Eero UDH Carbon
FORK	ARC8 Eero Carbon
SEATPOST	Faserwerk Wuthocker 0mm Offset, 400mm
HEADSET	ARC8
AXLE	M12xP15; 100mm & 142mm
STEM	ICH Stem
HANDLEBAR	Alloy handlebar with flare
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia Novus Boost
BRAKE / SHIFT LEVER	Shimano GRX; RX820; 12sp
BRAKE / SHIFT LEVER	Shimano GRX; RX820; 12sp
FRONT ROTOR	Shimano CL800; 160mm
REAR ROTOR	Shimano CL800; 160mm
CRANKSET	Shimano GRX RX820; 12sp; 48/31
FRONT DERAILLEUR	Shimano GRX; RX820; 2×12sp
REAR DERAILLEUR	Shimano GRX; RX820; 12sp
CASSETTE	Shimano GRX R8101; 11–34
CHAIN	Shimano Ultegra M8100
BOTTOM BRACKET	Shimano Bottom Bracket BBR60
FRONT WHEEL	NEWMEN ADVANCED G.34; 25MM INNER WIDTH
REAR WHEEL	NEWMEN ADVANCED G.34; 25MM INNER WIDTH
FRONT TIRE	Schwalbe G-One RS Pro Evo; 622×40
REAR TIRE	Schwalbe G-One RS Pro Evo; 622×40
TUBE	Tubeless with tire sealant

OPTIONS

HANDLEBAR	Carbon road handlebar
	Faserwerk Luftschneider
WHEELSET	NEWMEN ADVANCED G.34; 25MM INNER WIDTH
	ARC8 Carbon 35mm & DT 350 Hub & DT Aero Comp
	DT SWISS GRC 1400 SPLINE

EERO GRX DI2 1X12

SPECIFICATION

FRAME	ARC8 Eero UDH, Carbon
FORK	ARC8 Eero, Carbon
SEAT POST	Faserwerk Wuthocker 0mm Offset, 400mm
HEADSET	ARC8
AXLE	M12xP1.5; 100mm & 142mm
STEM	ICH Stem
HANDLEBAR	Alloy handlebar with flare
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia Novus Boost
BRAKE / SHIFT LEVER	Shimano GRX; RX825; 12sp
BRAKE / SHIFT LEVER	Shimano GRX Di2; RX825; 12sp
FRONT ROTOR	Shimano CL800; 160mm
REAR ROTOR	Shimano CL800; 160mm
CRANKSET	Shimano GRX RX820; 12sp; 42T
FRONT DERAILLEUR	w/o
REAR DERAILLEUR	Shimano GRX Di2; RX822; 12sp
CASSETTE	Shimano GRX R8200; 10–51
CHAIN	Shimano Ultegra M8100
BOTTOM BRACKET	Shimano Bottom Bracket BBR60
BATTERY	Shimano BRDN320
FRONT WHEEL	NEWMEN ADVANCED G.34; 25MM INNER WIDTH
REAR WHEEL	NEWMEN ADVANCED G.34; 25MM INNER WIDTH
FRONT TIRE	Schwalbe G-One R Pro Evo; 622×45
REAR TIRE	Schwalbe G-One R Pro Evo; 622×45
TUBE	Tubeless with tire sealant

OPTIONS

HANDLEBAR	Carbon road handlebar
	Faserwerk Luftschneider
WHEELSET	ARC8 Carbon 35mm & DT 350 Hub & DT Aero Comp
	DT SWISS GRC 1400 SPLINE

EERO GRX DI2 2X12

SPECIFICATION

FRAME	ARC8 Eero UDH, Carbon
FORK	ARC8 Eero, Carbon
SEAT POST	Faserwerk Wuthocker 0mm Offset, 400mm
HEADSET	ARC8
AXLE	M12xP1.5; 100mm & 142mm
STEM	ICH Stem
HANDLEBAR	Alloy handlebar with flare
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia Novus Boost
BRAKE / SHIFT LEVER	Shimano GRX Di2; RX825; 12sp
BRAKE / SHIFT LEVER	Shimano GRX Di2; RX825; 12sp
FRONT ROTOR	Shimano CL800; 160mm
REAR ROTOR	Shimano CL800; 160mm
CRANKSET	Shimano GRX RX820; 12sp; 48/31
FRONT DERAILLEUR	Shimano GRX Di2; RX825; 12sp
REAR DERAILLEUR	Shimano GRX Di2; RX825; 12sp
CASSETTE	Shimano GRX R8101; 11–34
CHAIN	Shimano Ultegra M8100
BOTTOM BRACKET	Shimano Bottom Bracket BBR60
CABLE	Shimano EW-SD300
BATTERY	Shimano BRDN300
FRONT WHEEL	ARC8 CARBON; DT SWISS 350; 36MM RIM HEIGHT; 24MM INNER WIDTH
REAR WHEEL	ARC8 CARBON; DT SWISS 350; 36MM RIM HEIGHT; 24MM INNER WIDTH
FRONT TIRE	Schwalbe G-One RS Pro Evo; 622×40
REAR TIRE	Schwalbe G-One RS Pro Evo; 622×40
TUBE	Tubeless with tire sealant

OPTIONS

HANDLEBAR	Carbon road handlebar
	Faserwerk Luftschneider
WHEELSET	DT SWISS GRC 1400 SPLINE

EERO FORCE XPLR 1X13

SPECIFICATION

FRAME	ARC8 Eero UDH Carbon
FORK	ARC8 Eero Carbon
SEATPOST	Faserwerk Wuthocker 0mm Offset, 400mm
HEADSET	ARC8
AXLE	M12xP15; 100mm & 142mm
STEM	ICH Stem
HANDLEBAR	Alloy handlebar with flare
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia Novus Boost
BRAKE / SHIFT LEVER	SRAM Force XPLR AXS HRD
BRAKE / SHIFT LEVER	SRAM Force XPLR AXS HRD
FRONT ROTOR	SRAM Paceline; 160mm
REAR ROTOR	SRAM Paceline; 160mm
CRANKSET	SRAM Force XPLR; 13sp; 42T
FRONT DERAILLEUR	w/o
REAR DERAILLEUR	SRAM Force XPLR AXS; 1x13sp
CASSETTE	SRAM Force XPLR AXS; 10-46
CHAIN	SRAM Force
BOTTOM BRACKET	SRAM Bottom Bracket DUB
BATTERY	SRAM Powerpack incl. charger
FRONT WHEEL	NEWMEN ADVANCED G.34; 25MM INNER WIDTH
REAR WHEEL	NEWMEN Advanced G.34; 25mm inner width
FRONT TIRE	Schwalbe G-One R Pro Evo; 622x45
REAR TIRE	Schwalbe G-One R Pro Evo; 622x45
TUBE	Tubeless with tire sealant

OPTIONS

HANDLEBAR	Carbon road handlebar
	Faserwerk Luftschneider
WHEELSET	ARC8 Carbon 36mm & DT Swiss 350 & Aero Competition
	DT Swiss GRC 1400 SPLINE

EERO RED XPLR 1X13 PM

SPECIFICATION

FRAME	ARC8 Eero UDH Carbon
FORK	ARC8 Eero Carbon
SEATPOST	Faserwerk Wuthocker 0mm Offset, 400mm
HEADSET	ARC8
AXLE	M12xP15; 100mm & 142mm
STEM	ICH Stem
HANDLEBAR	Alloy handlebar with flare
HANDLEBAR TAPE	Faserwerk Handschmeichler
SADDLE	Selle Italia Novus Boost
BRAKE / SHIFT LEVER	SRAM Red XPLR AXS HRD
BRAKE / SHIFT LEVER	SRAM Red XPLR AXS HRD
FRONT ROTOR	SRAM Paceline X; 160mm
REAR ROTOR	SRAM Paceline X; 160mm
CRANKSET	SRAM Red XPLR; Powermeter; 42T
FRONT DERAILLEUR	w/o
REAR DERAILLEUR	SRAM Red XPLR AXS; 13sp
CASSETTE	SRAM Red XPLR AXS; 10–46
CHAIN	SRAM Red
BOTTOM BRACKET	SRAM Bottom Bracket DUB
BATTERY	SRAM Powerpack incl. charger
FRONT WHEEL	ARC8 CARBON; DT SWISS 350; 36MM RIM HEIGHT; 24MM INNER WIDTH
REAR WHEEL	ARC8 CARBON; DT SWISS 350; 36MM RIM HEIGHT; 24MM INNER WIDTH
FRONT TIRE	Schwalbe G-One R Pro Evo; 622×45
REAR TIRE	Schwalbe G-One R Pro Evo; 622×45
TUBE	Tubeless with tire sealant

OPTIONS

HANDLEBAR	Carbon road handlebar
	Faserwerk Luftschneider
WHEELSET	DT Swiss GRC 1400 SPLINE

ARC8



MOUNTAIN

EVOLVE FS



ARC8 EVOLVE FS, Shimano XTR Di2, Newmen Phase 30 CX

Category	XC / Down Country
Front travel	110 – 120 mm
Rear travel	100 – 110 mm
Frame weight	1270 g (raw, size M, w/o shock)
Sizes	M / L

Climbing	
Rolling Trails	
Technical Trails	
Fast Downhills	
Jumps	

Color options (Name / Frame / Logo / Finish):

Color 1: «Blackberry» / Blackberry-White / White / Matt

Color 2: «Pure Black» / Carbon / White / Matt-Glossy

 RTP (Ready to paint)

THE BIKE OF THE FUTURE.

The Evolve FS is our interpretation of an XC bike. We naturally wanted it to be light and fast on a race track, 1270 g frame weight w/o shock. But most importantly, we wanted to bring that speed onto your trails.

We were riding what is now called „downcountry“ bikes all our lives and with the Evolve we took this concept one step further: downcountry for the race track.

Until now, there were just XC bikes upgraded with 120 mm travel forks, shorter stems, wider bars and a dropper seat post. We extended those specs with the geometry of the future: 65° head angle, long reach and an effective seat tube angle of 76°. We see this as the standard configuration of modern XC bikes.

EVOLVE FS FRAMESETS



FRAME	ARC8 Evolve FS, Full Carbon
SHOCK	Fox Float DPS Performance
HEADSET	Acros AIF-531
AXLE	M12xP1.0; 148mm

OPTIONS

SHOCK	Fox Float DPS Performance 3 Pos
	Fox Float SL Factory 3 Pos / Remote (optional)
	RockShox Deluxe Ultimate
	RockShox SID Flight Attendant
	without shock

EVOLVE FS XT

SPECIFICATION

FRAME	ARC8 Evolve FS, full carbon
FORK	Fox 34 SC Performance ; 120mm
SHOCK	Fox Float DPD Performance; 110mm
SEAT POST	BikeYoke Divine SL 125mm + Remote
HEADSET	Acros AIF-531
AXLE	M12xP1.0; 148mm
STEM	Faserwerk Baslerstab 35mm / 50mm
HANDLEBAR	Faserwerk Baslerstab, 800 mm, carbon
GRIPS	Ergon GXR
SADDLE	Repente Quasar
FRONT BRAKE	Shimano SLX 7100 2-Piston
REAR BRAKE	Shimano SLX 7110 2-Piston
FRONT ROTOR	Shimano CL700; 180mm
REAR ROTOR	Shimano CL700; 180mm
SHIFT LEVER	Shimano XT M8100
REAR DERAILLEUR	Shimano XT M8100
CRANKSET	Shimano XT FCM8120; 32T; 170mm; 55mm
CASSETTE	Shimano XT CSM8100; 10-51T
CHAIN	Shimano XT M8100
BOTTOM BRACKET	Shimano MT801 BSA
FRONT WHEEL	DT Swiss XM1700 SPLINE
REAR WHEEL	DT Swiss XM1700 SPLINE
FRONT TIRE	Wolfpack Cross 29x2,4
REAR TIRE	Wolfpack Speed 29x2,4
TUBE	Tubeless 200ml tire sealant

UPGRADE OPTIONS

WHEELSET	Newmen Phase XC 30 light
	Newmen Phase XC 30 light VONOA

EVOLVE FS GX AXS

SPECIFICATION

FRAME	ARC8 Evolve FS, full carbon
FORK	Fox 34 SC Performance; 120mm
SHOCK	Fox Float DPD Performance; 110mm
SEAT POST	BikeYoke Divine SL 125mm
HEADSET	Acros AIF-531
AXLE	M12xP1.0; 148mm
STEM	Faserwerk Baslerstab 35mm / 50mm
HANDLEBAR	Faserwerk Baslerstab, 800 mm, carbon
GRIPS	Ergon GXR
SADDLE	Repenste Quasar
FRONT BRAKE	Shimano XT 8100 2-Piston
REAR BRAKE	Shimano XT 8110 2-Piston
FRONT ROTOR	Shimano XT RTMT800; 180mm
REAR ROTOR	Shimano XT RTMT800; 180mm
SHIFT LEVER	SRAM Pod
REAR DERAILLEUR	SRAM GX Eagle Transmission
CRANKSET	SRAM GX Eagle Transmission; 34t; 170mm
CASSETTE	SRAM XS 1275; 10-52
CHAIN	SRAM GX T-Type
BOTTOM BRACKET	SRAM DUB BSA
BATTERY	SRAM Powerpack incl. charger
FRONT WHEEL	DT SWISS XM 1700 SPLINE
REAR WHEEL	DT SWISS XM 1700 SPLINE
FRONT TIRE	Wolfpack Cross 29x2,4
REAR TIRE	Wolfpack Speed 29x2,4
TUBE	Tubeless 200ml tire sealant

UPGRADE OPTIONS

WHEELSET	Newmen Phase XC 30 light
	Newmen Phase XC 30 light VONOA

EVOLVE FS XTR DI2

SPECIFICATION

FRAME	ARC8 Evolve FS, full carbon
FORK	Fox 34 SL Factory Remote; 120mm
SHOCK	Fox Float SL Factory Remote; 110mm
SEAT POST	BikeYoke Divine SL; 125mm
HEADSET	Acros AIF-531
AXLE	M12xP1.0; 148mm
STEM	Faserwerk Baslerstab 35mm / 50mm
HANDLEBAR	Faserwerk Baslerstab, 800 mm, carbon
GRIPS	Ergon GXR
SADDLE	Repente Quasar
FRONT BRAKE	Shimano XTR 9200 2-Piston
REAR BRAKE	Shimano XTR 9200 2-Piston
FRONT ROTOR	Shimano XTR CL900; 180mm
REAR ROTOR	Shimano XTR CL900; 160mm
SHIFT LEVER	Shimano XTR Di2 M9250
REAR DERAILLEUR	Shimano XTR Di2 M9250
CRANKSET	Shimano XTR M9200; 34t; 170mm
CASSETTE	Shimano XTR M9250; 10-51
CHAIN	Shimano M9100
BOTTOM BRACKET	Shimano MT801 BSA
BATTERY	Shimano Battery DN320, incl. charger
FRONT WHEEL	NEWMEN Phase XC 30 light
REAR WHEEL	NEWMEN Phase XC 30 light
FRONT TIRE	Wolfpack Cross 29x2,4
REAR TIRE	Wolfpack Speed 29x2,4
TUBE	Tubeless 200ml tire sealant

OPTIONS

SHOCK	Fox Float DPS Factory; 110 mm without Remote
FORK	Fox 34 SC Factory; 120 mm without Remote
WHEELSET	NEWMEN Phase XC 30 VONOA

EVOLVE FS XX SL FA

SPECIFICATION

FRAME	ARC8 Evolve FS, full carbon
FORK	RockShox SID Ultimate Flight Attendant; 120 mm
SHOCK	RockShox SID Luxe Ultimate Flight Attendant; 100 mm
SEAT POST	RockShox Reverb AXS; 125mm
HEADSET	Acros AIF-531
AXLE	M12xP1.0; 148mm
STEM	Faserwerk Baslerstab 35mm / 50mm
HANDLEBAR	Faserwerk Baslerstab, 800 mm, carbon
GRIPS	Ergon GXR
SADDLE	Repenste Quasar
FRONT BRAKE	Shimano XTR 9200 2-Piston
REAR BRAKE	Shimano XTR 9200 2-Piston
FRONT ROTOR	Shimano XTR CL900; 180mm
REAR ROTOR	Shimano XTR CL900; 160mm
SHIFT LEVER	SRAM Pod Ultimate
REAR DERAILLEUR	SRAM XX SL Eagle Transmission
CRANKSET	SRAM XX SL Eagle Transmission; 34t; 170mm
CASSETTE	SRAM XS 1299; 10-52
CHAIN	SRAM XX SL T-Type
BOTTOM BRACKET	SRAM DUB BSA
BATTERY	SRAM Powerpack incl. charger
FRONT WHEEL	NEWMEN Phase XC 30 light
REAR WHEEL	NEWMEN Phase XC 30 light
FRONT TIRE	Wolfpack Speed 29x2,4
REAR TIRE	Wolfpack Speed 29x2,4
TUBE	Tubeless 200ml tire sealant

OPTIONS

WHEELSET	NEWMEN Phase XC 30 VONOA
----------	--------------------------

ESSENTIAL



ARC8 ESSENTIAL, SRAM GX AXS T-Type, Fox Factory

Category	Trail / All Mountain
Front travel	140 - 150 mm
Rear travel	130 mm
Frame weight	1800 g (size M)
Sizes	M / L

Climbing	
Rolling Trails	
Technical Trails	
Fast Downhills	
Jumps	

Color options (Name / Frame / Logo / Finish):

Color 1: «Petrol» / Petrol / Champagne Gold / Matt

Color 2: «Graphit Grey» / Grey / Black / Matt



RTP (Ready to paint)

A BIKE FOR ANY OCCASION

The Essential is the bike that started ARC8. A bike designed for best fun out on the trails, but as it turned out also light and efficient enough for success in XC racing. Now in its second generation, it has grown more character, expanding its versatility even further.

Staying true to its original spirit, it turns trails into your playground, no matter where you are. Big days in the mountains or just having fun in your local woods, the Essential is your best companion.

Lighter than most XC frames, but with the geometry of an enduro bike it is extremely versatile and the bike for any occasion.

ESSENTIAL FRAME SETS



FRAME	ARC8 Essential, Full Carbon
SHOCK	Rock Shox SuperDeluxe Ultimate
HEADSET	Acros AIF-531
AXLE	M12xP1.0; 148mm

OPTIONS

SHOCK	Fox Float X Performance
	Fox Float X Factory
	RockShox Super Deluxe Ultimate
	without shock
DROPPER POST	RaceFace Aeffect 170mm incl. EV Remote
	BikeYoke REVIVE 160mm o. 185mm

ESSENTIAL XT

SPECIFICATION

FRAME	ARC8 Essential, full carbon
FORK	Fox 36 Float Performance; 150mm
SHOCK	Fox Float X Performance; 130mm
SEAT POST	RaceFace Aeffect R
HEADSET	Acros AIF-531
AXLE	M12xP1.0; 148mm
STEM	Newmen Evolution
HANDLEBAR	Aluminum Handlebar
GRIPS	Ergon GA20
SADDLE	Ergon SM 10 stealth
FRONT BRAKE	Shimano SLX M8120; 4 piston
REAR BRAKE	Shimano SLX M8100; 2 piston
FRONT ROTOR	Shimano CL700; 203mm
REAR ROTOR	Shimano CL700; 180mm
SHIFT LEVER	Shimano XT M8100
REAR DERAILLEUR	Shimano XT M8100
CRANKSET	Shimano XT M81201; 32t; 165mm
CASSETTE	Shimano XT M8100; 10–51
CHAIN	Shimano M8100
BOTTOM BRACKET	Shimano MT801 BSA
FRONT WHEEL	DT Swiss XM1700 SPLINE
REAR WHEEL	DT Swiss XM1700 SPLINE
FRONT TIRE	Maxxis Dissector 29×2.4; MaxxTerra, Exo
REAR TIRE	Maxxis Dissector 29×2.4; MaxxTerra, Exo+
TUBE	Tubeless 200 ml tire sealant

OPTIONS

WHEELSET	DT SWISS XMC 1501 Spline
----------	--------------------------

ESSENTIAL GX AXS

SPECIFICATION

FRAME	ARC8 Essential, full carbon
FORK	Fox 36 Float SL Factory; 140mm
SHOCK	Fox Float Factory; 130mm
SEAT POST	BikeYoke Revive; 160mm / 185mm
HEADSET	Acros AIF-531
AXLE	M12xP1.0; 148mm
STEM	Faserwerk Baslerstab 35mm / 50mm
HANDLEBAR	Faserwerk Baslerstab, 800 mm, carbon
GRIPS	Ergon GA20
SADDLE	Ergon SM 10 stealth
FRONT BRAKE	Shimano XT 8120 4-Piston
REAR BRAKE	Shimano XT 8110 2-Piston
FRONT ROTOR	Shimano XT RTMT800; 203mm
REAR ROTOR	Shimano XT RTMT800; 180mm
SHIFT LEVER	SRAM Pod
REAR DERAILLEUR	SRAM GX Eagle Transmission
CRANKSET	SRAM GX Eagle Transmission; 32t; 165mm
CASSETTE	SRAM XS 1275; 10–52
CHAIN	SRAM GX T-Type
BOTTOM BRACKET	SRAM DUB BSA
BATTERY	SRAM Powerpack incl. charger
FRONT WHEEL	DT SWISS XM 1700 SPLINE
REAR WHEEL	DT SWISS XM 1700 SPLINE
FRONT TIRE	Maxxis Dissector 29×2.4; MaxxTerra, Exo
REAR TIRE	Maxxis Dissector 29×2.4; MaxxTerra, Exo+
TUBE	Tubeless 200 ml tire sealant

OPTIONS

WHEELSET	DT SWISS XMC 1501 Spline
----------	--------------------------

ESSENTIAL XT Di2

SPECIFICATION

FRAME	ARC8 Essential, full carbon
FORK	Fox 36 Float SL Factory; 140mm
SHOCK	Fox Float Factory; 130mm
SEAT POST	BikeYoke Revive; 160mm / 185mm
HEADSET	Acros AIF-531
AXLE	M12xP1.0; 148mm
STEM	Faserwerk Baslerstab 35mm / 50mm
HANDLEBAR	Faserwerk Baslerstab, 800 mm, carbon
GRIPS	Ergon GA20
SADDLE	Ergon SM 10 stealth
FRONT BRAKE	Shimano XT M8220; 4-Piston
REAR BRAKE	Shimano XT MT805; 2-Piston
FRONT ROTOR	Shimano CL800; 180mm
REAR ROTOR	Shimano CL800; 180mm
SHIFT LEVER	Shimano XT Di2 M8250
REAR DERAILLEUR	Shimano XT Di2 M8250
CRANKSET	Shimano XT M8200; 32t; 165mm
CASSETTE	Shimano XT M8200; 10–51
CHAIN	Shimano M8100
BOTTOM BRACKET	Shimano MT801 BSA
BATTERY	Shimano Battery DN320, incl. charger
FRONT WHEEL	DT SWISS XMC 1501 Spline
REAR WHEEL	DT SWISS XMC 1501 Spline
FRONT TIRE	Maxxis Dissector 29×2.4; MaxxTerra, Exo
REAR TIRE	Maxxis Dissector 29×2.4; MaxxTerra, Exo+
TUBE	Tubeless 200 ml tire sealant

EXTRA COIL/AIR



EXTRA COIL, Shimano XT, Fox 38 Factory, Fox DHX2, DT Swiss EX 1700

Category	Enduro
Front travel	160 - 180 mm
Rear travel	160 - 165 mm
Frame weight	2025 g (size M, w/o shock)
Sizes	S / M / L

Climbing	
Rolling Trails	
Technical Trails	
Fast Downhills	
Jumps	

Color options (Name / Frame / Logo / Finish):

-  «Rubino Red» / Red / White / Matt
-  «Sage Green» / Green / Green / Matt
-  «Silver Mist» / Grey / White / Matt
-  RTP (Ready to paint)

RIDE EXTRA ORDINARY

Alpine trails, enduro races, bike park days, or just a fun ride after work – never before has one of our bikes been so versatile. The new Extra is designed for (almost) all eventualities.

Thanks to its modern geometry and the use of a FlipChip, you can build the Extra exactly to your liking: full 29" or mullet, 160 or 170mm of front travel, downhill beast with a coil shock, or a lightweight air setup for the mountains. The new Extra: anything but ordinary.

Our Dual Pivot Suspension technology allows an almost perfectly linear-progressive characteristic curve. The rear suspension responds incredibly sensitively and gives you an excellent level of support throughout the entire travel.

EXTRA FRAME SETS



FRAME	ARC8 EXTRA, Full Carbon
SHOCK	-
HEADSET	Acros AiX-322 R3, flach, OD46 IS41,8/28,6, IS52/40
AXLE	M12xP1.0; 148mm

OPTIONS

SHOCK	Fox Float X Performance
	Fox Float X Factory
	Fox Float DHX2 Factory
	without shock

EXTRA AIR XT

SPECIFICATION

FRAME	ARC8 Extra Air, full carbon
FORK	Fox 36 Float Performance; 160mm
SHOCK	Fox Float X Performance; 160mm
SEAT POST	Fox Transfer Performance Elite 180mm / 210mm /240mm
HEADSET	Acros AiX-322 R3, flach, OD46 IS41,8/28,6, IS52/40
AXLE	M12xP1.0; 148mm
STEM	RaceFace Aeffect R 40mm
HANDLEBAR	RaceFace Aeffect R 20×780mm
GRIPS	Ergon GA20
SADDLE	Ergon SM10 Enduro
FRONT BRAKE	Shimano XT 8120 4-Piston
REAR BRAKE	Shimano XT 8120 4-Piston
FRONT ROTOR	Shimano XT CL700; 203mm
REAR ROTOR	Shimano XT CL700; 203mm
SHIFT LEVER	Shimano XT M8100
REAR DERAILLEUR	Shimano XT M8100
CRANKSET	Shimano XT M8120; 32T; 165mm
CASSETTE	Shimano XT M8100; 10–51
CHAIN	Shimano M7100
BOTTOM BRACKET	Shimano MT801 BSA
FRONT WHEEL	DT SWISS XM 1700 SPLINE
REAR WHEEL	DT SWISS XM 1700 SPLINE
FRONT TIRE	Maxxis DHF; Exo; Maxx Terra; 29×2.5WT
REAR TIRE	Maxxis Dissector; Exo+; Maxx Terra; 29×2.4WT
TUBE	tubeless

OPTIONS

WHEELSET	DT Swiss XMC 1501 Spline
----------	--------------------------

EXTRA AIR GX AXS

SPECIFICATION

FRAME	ARC8 Extra Air, full carbon, Sage Green / Silver Mist
FORK	Fox 36 Float Factory; GripX; 160mm
SHOCK	Fox Float X Factory; 160mm
SEAT POST	Fox Transfer Factory; 31,6; 180mm / 210mm / 240mm
HEADSET	Acros AiX-322 R3, flach, OD46 IS41,8/28,6, IS52/40
AXLE	M12xP1.0; 148mm
STEM	RaceFace Turbine 40mm
HANDLEBAR	RaceFace Turbine, 780mm
GRIPS	Ergon GD10
SADDLE	Ergon SMC10
FRONT BRAKE	Shimano XT 8120 4-Piston
REAR BRAKE	Shimano XT 8120 4-Piston
FRONT ROTOR	Shimano XT RTMT800; 203mm
REAR ROTOR	Shimano XT RTMT800; 203mm
SHIFT LEVER	SRAM Pod
REAR DERAILLEUR	SRAM GX Eagle Transmission
CRANKSET	SRAM GX Eagle Transmission; 32t; 165mm
CASSETTE	SRAM XS 1275; 10-52
CHAIN	SRAM GX T-Type
BOTTOM BRACKET	SRAM DUB BSA
BATTERY	SRAM Powerpack incl. charger
FRONT WHEEL	DT SWISS XM 1700 SPLINE
REAR WHEEL	DT SWISS XM 1700 SPLINE
FRONT TIRE	Maxxis DHF; Exo; Maxx Terra; 29×2.5WT
REAR TIRE	Maxxis Dissector; Exo+; Maxx Terra; 29×2.4WT
TUBE	tubeless

OPTIONS

WHEELSET	DT Swiss XMC 1501 Spline
----------	--------------------------

EXTRA AIR X0 AXS

SPECIFICATION

FRAME	ARC8 Extra Air, full carbon
FORK	Fox 36 Float Factory; GripX; 160mm
SHOCK	Fox Float X Factory; 160mm
SEAT POST	SRAM Reverb AXS; 31,6; 175mm
HEADSET	Acros AiX-322 R3, flach, OD46 IS41,8/28,6, IS52/40
AXLE	M12xP1.0; 148mm
STEM	Faserwerk Baslerstab 35mm / 50mm
HANDLEBAR	Faserwerk Baslerstab 800mm
GRIPS	Ergon GA20
SADDLE	Ergon SM 10 Enduro
FRONT BRAKE	Shimano XTR 9220 4-Piston
REAR BRAKE	Shimano XTR 9220 4-Piston
FRONT ROTOR	Shimano XTR CL900; 203mm
REAR ROTOR	Shimano XTR CL900; 203mm
SHIFT LEVER	SRAM Pod Rocker
REAR DERAILLEUR	SRAM X0 Eagle Transmission
CRANKSET	SRAM X0 Eagle Transmission; 32t; 165mm
CASSETTE	SRAM XS 1295; 10-52
CHAIN	SRAM X0 T-Type
BOTTOM BRACKET	SRAM DUB BSA
BATTERY	SRAM Powerpack incl. charger
FRONT WHEEL	DT SWISS XMC 1501 Spline
REAR WHEEL	DT SWISS XMC 1501 Spline
FRONT TIRE	Maxxis DHF; Exo; Maxx Terra; 29×2.5WT
REAR TIRE	Maxxis Dissector; Exo+; Maxx Terra; 29×2.4WT
TUBE	tubeless

EXTRA COIL XT

SPECIFICATION

FRAME	ARC8 Extra Coil, full carbon
FORK	Fox 38 Factory GripX2; 170mm
SHOCK	Fox DHX2 Factory; SLS Spring; 165mm; Climb Switch
SEAT POST	Fox Transfer Performance Elite; 31,6; 180mm / 210mm / 240mm
HEADSET	Acros AiX-322 R3, flach, OD46 IS41,8/28,6, IS52/40
AXLE	M12xP1.0; 148mm
STEM	RaceFace Aeffect R 40mm
HANDLEBAR	RaceFace Aeffect R 20×780mm
GRIPS	Ergon GD10
SADDLE	Ergon SM 10 Enduro
FRONT BRAKE	Shimano XT 8120 4-Piston
REAR BRAKE	Shimano XT 8120 4-Piston
FRONT ROTOR	Shimano CL800; 203mm
REAR ROTOR	Shimano CL800; 203mm
SHIFT LEVER	Shimano XT M8100
REAR DERAILLEUR	Shimano XT M8100
CRANKSET	Shimano XT M81201; 32t; 165mm
CASSETTE	Shimano XT M8100; 10–51
CHAIN	Shimano M8100
BOTTOM BRACKET	Shimano MT801 BSA
FRONT WHEEL	DT SWISS E 1900 Spline
REAR WHEEL	DT SWISS E 1900 Spline
FRONT TIRE	Maxxis Assegai; MaxxGrip/Exo+; 29,2.5WT
REAR TIRE	Maxxis DHR II; MaxxTerra/DD; 27.5×2.4WT
TUBE	tubeless

EXTRA COIL GX AXS

SPECIFICATION

FRAME	ARC8 Extra Coil, full carbon
FORK	Fox 38 Float Factory; GripX2; 170mm
SHOCK	Fox DHX2 Factory; SLS Spring; 165mm; Climb Switch
SEAT POST	Fox Transfer Factory; 31,6; 150mm / 175mm / 200mm
HEADSET	Acros AiX-322 R3, flach, OD46 IS41,8/28,6, IS52/40
AXLE	M12xP1.0; 148mm
STEM	RaceFace Turbine R 40mm
HANDLEBAR	RaceFace Turbine R 20×800mm
GRIPS	Ergon GD10
SADDLE	Ergon SMC10
FRONT BRAKE	Shimano XT 8120 4-Piston
REAR BRAKE	Shimano XT 8120 4-Piston
FRONT ROTOR	Shimano CL800; 203mm
REAR ROTOR	Shimano CL800; 203mm
SHIFT LEVER	SRAM Pod
REAR DERAILLEUR	SRAM GX Eagle Transmission
CRANKSET	SRAM GX Eagle Transmission; 32t; 165mm
CASSETTE	SRAM XS 1275; 10–52
CHAIN	SRAM GX T-Type
BOTTOM BRACKET	SRAM DUB BSA
BATTERY	SRAM Powerpack incl. charger
FRONT WHEEL	DT SWISS EX 1700 Spline
REAR WHEEL	DT SWISS EX 1700 Spline
FRONT TIRE	Maxxis Assegai; MaxxGrip/Exo+; 29,2.5WT
REAR TIRE	Maxxis DHR II; MaxxTerra/DD; 27.5×2.4WT
TUBE	tubeless

EXTRA COIL X0 AXS

SPECIFICATION

FRAME	ARC8 Extra Coil, full carbon
FORK	Fox 38 Float Factory; GripX2; 170mm
SHOCK	Fox DHX2 Factory; SLS Spring; 165mm; Climb Switch
SEAT POST	Fox Transfer Factory; 31,6; 180mm / 210mm / 240mm
HEADSET	Acros AiX-322 R3, flach, OD46 IS41,8/28,6, IS52/40
AXLE	M12xP1.0; 148mm
STEM	RaceFace Turbine R 40mm
HANDLEBAR	RaceFace Turbine R 20×800mm
GRIPS	Ergon GD10
SADDLE	Ergon SMC10
FRONT BRAKE	Shimano XT 9220 4-Piston
REAR BRAKE	Shimano XT 9220 4-Piston
FRONT ROTOR	Shimano CL900; 203mm
REAR ROTOR	Shimano CL900; 203mm
SHIFT LEVER	SRAM Pod Rocker
REAR DERAILLEUR	SRAM X0 Eagle Transmission
CRANKSET	SRAM X0 Eagle Transmission; 32t; 165mm
CASSETTE	SRAM XS 1295; 10–52
CHAIN	SRAM X0 T-Type
BOTTOM BRACKET	SRAM DUB BSA
BATTERY	SRAM Powerpack incl. charger
FRONT WHEEL	DT SWISS EX 1700 SPLINE
REAR WHEEL	DT SWISS EX 1700 SPLINE
FRONT TIRE	Maxxis Assegai; MaxxGrip/Exo+; 29,2.5WT
REAR TIRE	Maxxis DHR II; MaxxTerra/DD; 27.5×2.4WT
TUBE	tubeless

EVOLVE HT



ARC8 EVOLVE Hardtail

Category	XC
Front travel	100 - 120 mm
Frame weight	1000 g (Size M)
Sizes	S / M / L / XL

Climbing	
Descending	
Fast courses	
Technical courses	
Leisure riding	

Color options (Name / Frame / Logo / Finish):

 «Black&White» / White-Carbon / Black / Glossy

 RTP (Ready to paint)

THE EVOLUTION IN XC RACING.

Over the last few years, we saw an evolution in XC racing. Courses became more technical, getting through challenging features efficiently now can make the difference between winning and losing. The Evolve was designed exactly for that style of racing.

It is light and stiff, so you can power up the climbs. The compliance lets you carry your momentum over bumpy parts of the course. If it you still have competitors on your wheel by the time you reach the descend, it is time to drop the hammer: with a slack head angle and long reach, this bikes is absolutely flying when the trail points down.

EVOLVE FRAMESETS



FRAME	ARC8 Evolve HT, Full Carbon
HEADSET	ARC8
AXLE	M12xP1.5; 148mm

OPTIONS

FORK	Fox 32 SC Factory Remote; 100mm
------	---------------------------------

EXTRA ST



ARC8 EXTRA ST, Shimano XT, Fox 36 Factory, Fox DPX2

Category	Enduro
Front travel	160 - 180 mm
Rear travel	160 mm
Frame weight	2300 g (size M)
Sizes	S / M / L

Climbing	
Rolling Trails	
Technical Trails	
Fast Downhills	
Jumps	

Color options (Name / Frame / Logo / Finish):

-  Carbon / Black / White / Matt
-  Grey / Grey / Black / Glossy
-  White / White / Black / Glossy
-  RTP (Ready to paint)

READY TO GET ROWDY

Everything on this bike is designed to boost your confidence, starting from a geometry akin to a downhill bike, over big wheels, to frame stiffness. A long reach, 64° head angle, and low BB mean all business in the front. There is still some party in the back though, with short chainstays keeping the bike alive and giving it some pop when taking off on small features.

It is easy to get to the top as well, thanks to a steep seat angle, efficient suspension, and low weight.

Put on some sturdy tires, coil springs and a 180 mm fork, and you can go absolutely mental on this bikes. Or put on a 160 mm fork, air sprung fork and shock and you are all set for epic days in big mountains.

EXTRA FRAME SETS



FRAME	ARC8 EXTRA ST, Full Carbon
SHOCK	-
HEADSET	AIF-557
AXLE	M12xP1.5; 148mm

OPTIONS

SHOCK	Fox Float X Factory
	Fox Float X2 Factory
	without shock
DROPPER POST	RaceFace Aeffect 170mm incl. EV Remote
	BikeYoke REVIVE 160mm o. 185mm

ARC8 WHEELS



ARC8 C38

GRAVEL/ROAD WHEELS

RIMS

GRAVEL CARBON DB 36

Inner rim width	25 mm
Outer rim width	31 mm
Rim height	42 mm
Weight (+/-15g)	452 g

ROAD CARBON DB 50

Inner rim width	23 mm
Outer rim width	30 mm
Rim height	50 mm
Weight (+/-15g)	420 g

Wheelset Gravel Carbon DB / Road Carbon DB

Spoke / Nipple	DT Aero Competition / Alu black Pro-Lock
Hub	DT Swiss 350 Classic
Freehub body	XDR, HG, MS
Weight (+/-15g) Gravel / Road	Gravel 1580 g, 38 mm Road 1460 g

Notes:

- Specifications are subject to change without notice
- The picture may not be an accurate indication of the actual specification
- The conditions and supplies of ARC8 bikes and parts from this price list are only possible with a valid dealer contract

Hinweise:

- Änderungen der Spezifikationen ohne vorherige Ankündigung vorbehalten
- Die Abbildung ist möglicherweise kein genauer Hinweis auf die tatsächliche Spezifikation
- die Konditionen und Belieferung der ARC8 Räder aus dieser Preisliste sind nur mit gültigem Händlervertrag möglich



ALLGEMEINE GESCHÄFTSBEDINGUNGEN

MK BICYCLES GMBH

Allgemeine Verkaufsbedingungen

I. Geltungsbereich

Diese Verkaufsbedingungen gelten ausschließlich gegenüber Unternehmern, juristischen Personen des öffentlichen Rechts oder öffentlich-rechtlichen Sondervermögen im Sinne von Paragraph 310 Absatz 1 BGB. Entgegenstehende oder von unseren Verkaufsbedingungen abweichende Bedingungen des Bestellers erkennen wir nur an, wenn wir ausdrücklich schriftlich der Geltung zustimmen.

Diese Verkaufsbedingungen gelten auch für alle zukünftigen Geschäfte mit dem Besteller, soweit es sich um Rechtsgeschäfte verwandter Art handelt.

Im Einzelfall getroffene, individuelle Vereinbarungen mit dem Käufer (einschließlich Nebenabreden, Ergänzungen und Änderungen) haben in jedem Fall Vorrang vor diesen Verkaufsbedingungen. Für den Inhalt derartiger Vereinbarungen ist, vorbehaltlich des Gegenbeweises, ein schriftlicher Vertrag bzw. unsere schriftliche Bestätigung maßgebend.

II. Angebot und Vertragsabschluss

Sofern eine Bestellung als Angebot gemäß Paragraph 145 BGB anzusehen ist, können wir diese innerhalb von zwei Wochen annehmen.

III. Überlassene Unterlagen

An allen in Zusammenhang mit der Auftragserteilung dem Besteller überlassenen Unterlagen – auch in elektronischer Form –, wie z. B. Kalkulationen, Zeichnungen etc., behalten wir uns Eigentums- und Urheberrechte vor. Diese Unterlagen dürfen Dritten nicht zugänglich gemacht werden, es sei denn, wir erteilen dazu dem Besteller unsere ausdrückliche schriftliche Zustimmung. Soweit wir das Angebot des Bestellers nicht innerhalb der Frist von Abschnitt II annehmen, sind diese Unterlagen uns unverzüglich zurückzusenden.

IV. Preise und Zahlung

Sofern nichts Gegenteiliges schriftlich vereinbart wird, gelten unsere Preise ab Werk inklusive Verpackung und zuzüglich Mehrwertsteuer in jeweils gültiger Höhe. Kosten der Versandkosten werden gesondert in Rechnung gestellt.

Die Zahlung des Kaufpreises hat ausschließlich auf das bekannte Konto zu erfolgen. Der Abzug von Skonto ist nur bei schriftlicher besonderer Vereinbarung zulässig.

Sofern nichts anderes vereinbart wird, ist der Kbis zum genannten Datum auf der Rechnung zu zahlen. Verzugszinsen werden in Höhe von 8 % über dem jeweiligen Basiszinssatz p.a. (siehe Anlage 1) berechnet. Die Geltendmachung eines höheren Verzugs Schadens bleibt vorbehalten.

Sofern keine Festpreisabrede getroffen wurde, bleiben angemessene Preisänderungen wegen veränderter Lohn-, Material- und Vertriebskosten für Lieferungen, die 3 Monate oder später nach Vertragsabschluss erfolgen, vorbehalten.

V. Zurückbehaltungsrechte

Zur Ausübung eines Zurückbehaltungsrechts ist der Besteller nur insoweit befugt, als sein Gegenanspruch auf dem gleichen Vertragsverhältnis beruht.

VI. Lieferzeit

Der Beginn der von uns angegebenen Lieferzeit setzt die rechtzeitige und ordnungsgemäße Erfüllung der Verpflichtungen des Bestellers voraus. Die

Einrede des nicht erfüllten Vertrages bleibt vorbehalten.

Kommt der Besteller in Annahmeverzug oder verletzt er schuldhaft sonstige Mitwirkungspflichten, so sind wir berechtigt, den uns insoweit entstehenden Schaden, einschließlich etwaiger Mehraufwendungen ersetzt

zu verlangen. Weitergehende Ansprüche bleiben vorbehalten. Sofern vorstehende Voraussetzungen vorliegen, geht die Gefahr eines zufälligen Untergangs oder einer zufälligen Verschlechterung der Kaufsache in dem Zeitpunkt auf den Besteller über, in dem dieser in Annahme- oder Schuldnerverzug geraten ist.

Weitere gesetzliche Ansprüche und Rechte des Bestellers wegen eines Lieferverzuges bleiben unberührt.

VII. Gefahrübergang bei Versendung

Wird die Ware auf Wunsch des Bestellers an diesen versandt, so geht mit der Absendung an den Besteller, spätestens mit Verlassen des Werks/ Lagers die Gefahr des zufälligen Untergangs oder der zufälligen Verschlechterung der Ware auf den Besteller über. Dies gilt unabhängig davon, ob die Versendung der Ware vom Erfüllungsort erfolgt oder wer die Frachtkosten trägt.

VIII. Eigentumsvorbehalt

Wir behalten uns das Eigentum an der gelieferten Sache bis zur vollständigen Zahlung sämtlicher Forderungen aus dem Liefervertrag vor. Dies gilt auch für alle zukünftigen Lieferungen, auch wenn wir uns nicht stets ausdrücklich hierauf berufen. Wir sind berechtigt, die Kaufsache zurückzufordern, wenn der Besteller sich vertragswidrig verhält.

Der Besteller ist verpflichtet, solange das Eigentum noch nicht auf ihn übergegangen ist, die Kaufsache pfleglich zu behandeln. Insbesondere ist er verpflichtet, diese auf eigene Kosten gegen Diebstahl-, Feuer- und Wasserschäden ausreichend zum Neuwert zu versichern. Müssen Wartungs- und Inspektionsarbeiten durchgeführt werden, hat der Besteller diese auf eigene Kosten rechtzeitig auszuführen. Solange das Eigentum noch nicht übergegangen ist, hat uns der Besteller unverzüglich schriftlich zu benachrichtigen, wenn der gelieferte Gegenstand gepfändet oder sonstigen Eingriffen Dritter ausgesetzt ist. Soweit der Dritte nicht in der Lage ist, uns die gerichtlichen und außergerichtlichen Kosten einer Klage gemäß Paragraph 771 ZPO zu erstatten, haftet der Besteller für den uns entstandenen Ausfall.

IX. Gewährleistung und Mängelrüge sowie Rückgriff/Herstellerregress

Gewährleistungsrechte des Bestellers setzen voraus, dass dieser seinen nach Paragraph 377 HGB geschuldeten Untersuchungs- und Rügeobliegenheiten ordnungsgemäß nachgekommen ist.

Mängelansprüche verjähren in 12 Monaten nach erfolgter Ablieferung der von uns gelieferten Ware bei unserem Besteller. Für Schadensersatzansprüche bei Vorsatz und grober Fahrlässigkeit sowie bei Verletzung von Leben, Körper und Gesundheit, die auf einer vorsätzlichen oder fahrlässigen Pflichtverletzung des Verwenders beruhen, gilt die gesetzliche Verjährungsfrist.

Vor etwaiger Rücksendung der Ware ist unsere Zustimmung einzuholen.

Sollte trotz aller aufgewendeter Sorgfalt die gelieferte Ware einen Mangel aufweisen, der bereits zum Zeitpunkt des Gefahrübergangs vorlag, so werden wir die Ware, vorbehaltlich fristgerechter Mängelrüge nach unserer Wahl nachbessern oder Ersatzware liefern. Es ist uns stets Gelegenheit zur Nacherfüllung innerhalb angemessener Frist zu geben. Rückgriffsansprüche bleiben von vorstehender Regelung ohne Einschränkung unberührt.

Schlägt die Nacherfüllung fehl, kann der Besteller – unbeschadet etwaiger Schadensersatzansprüche – vom Vertrag zurücktreten oder die Vergütung mindern.

Mängelansprüche bestehen nicht bei nur unerheblicher Abweichung von der vereinbarten Beschaffenheit, bei nur unerheblicher Beeinträchtigung der Brauchbarkeit, bei natürlicher Abnutzung oder Verschleiß wie bei Schäden, die nach dem Gefahrübergang infolge fehlerhafter oder nachlässiger Behandlung, übermäßiger Beanspruchung, ungeeigneter Betriebsmittel oder aufgrund besonderer äußerer Einflüsse entstehen, die nach dem Vertrag nicht vorausgesetzt sind. Werden vom Besteller oder



ALLGEMEINE GESCHÄFTSBEDINGUNGEN

MK BICYCLES GMBH

Dritten unsachgemäß Instandsetzungsarbeiten oder Änderungen vorgenommen, so bestehen für diese und die daraus entstehenden Folgen ebenfalls keine Mängelansprüche.

Ansprüche des Bestellers wegen der zum Zweck der Nacherfüllung erforderlichen Aufwendungen, insbesondere Transport-, Wege-, Arbeits- und Materialkosten einschließlich eventueller Aus- und Einbaukosten, sind ausgeschlossen, soweit die Aufwendungen sich erhöhen, weil die von uns gelieferte Ware nachträglich an einen anderen Ort als die Niederlassung des Bestellers verbracht worden ist, es sei denn, die Verbringung entspricht ihrem bestimmungsgemäßen Gebrauch.

Rückgriffsansprüche des Bestellers gegen uns bestehen nur insoweit, als der Besteller mit seinem Abnehmer keine über die gesetzlich zwingenden Mängelansprüche hinausgehenden Vereinbarungen getroffen hat. Für den Umfang des Rückgriffsanspruches des Bestellers gegen den Lieferer gilt ferner Absatz 6 entsprechend.

X. Sonstiges

Dieser Vertrag und die gesamten Rechtsbeziehungen der Parteien unterliegen dem Recht der Bundesrepublik Deutschland unter Ausschluss des UN-Kaufrechts (CISG).

Erfüllungsort und ausschließlicher Gerichtsstand und für alle Streitigkeiten aus diesem Vertrag ist unser Geschäftssitz, sofern sich aus der Auftragsbestätigung nichts anderes ergibt.

Alle Vereinbarungen, die zwischen den Parteien zwecks Ausführung dieses Vertrages getroffen werden, sind in diesem Vertrag schriftlich niederzulegen.

Anhang 1:

Anmerkungen

Obwohl die Klauselverbote der Katalogtatbestände der Paragraphen 308, 309 BGB gem. Paragraph 310 Abs. 1 BGB nicht für AGBs gelten, die gegenüber Unternehmern i. S. d. Paragraph 14 BGB verwandt werden, ist nicht im Umkehrschluss automatisch davon auszugehen, dass die Verwendung von Klauseln wie die in den Paragraphen 308, 309 BGB genannt gegenüber Unternehmern im Regelfall der Inhaltskontrolle der Paragraphen 305 ff. BGB standhalten. Gemäß Paragraph 307 Abs. 1, 2 Nr. 1 BGB, der auch bei der Verwendung von AGBs gegenüber Unternehmern gilt, ist eine unangemessene Benachteiligung des Vertragspartners im Zweifel anzunehmen, wenn die Klausel mit wesentlichen Grundgedanken der gesetzlichen Regelung, von der abgewichen wird, nicht vereinbar ist. Dies führt nach der Rechtsprechung dazu, dass die Klauselverbotskataloge der Paragraphen 308, 309 BGB über die Auslegung des Paragraph 307 BGB auch im kaufmännischen Verkehr indirekte Bedeutung erlangen.

Die Klauselverbote des Paragraph 308 BGB sind dabei in der Regel auf den Verkauf zwischen Unternehmern übertragbar, weil in ihren Wertungsspielräumen die kaufmännischen Besonderheiten berücksichtigt werden. Dagegen ist bei den Verböten des Paragraph 309 BGB eine derart pauschale Lösung nicht möglich, der Verstoß gegen Paragraph 309 ist aber auch beim Verkauf zwischen Unternehmern ein Indiz für die Unwirksamkeit der Klausel. Hier empfiehlt sich, vor der Verwendung der AGBs eine Einzelfallprüfung durch einen Rechtskundigen vornehmen zu lassen.

Transparenzgebot

Dieses Gebot bedeutet, dass eine Klausel in AGB im Zweifel auch dann unangemessen benachteiligend ist, wenn sie nicht klar und verständlich ist. Dieses Gebot bedeutet, dass intransparente Klauseln per se, ohne Hinzutreten einer inhaltlichen unangemessenen Benachteiligung des Vertragspartners, als unwirksam zu betrachten sind. Ferner bedeutet dies auch, dass das Transparenzgebot auch für Preisbestimmungen und leistungsbeschreibende Klauseln, die grundsätzlich von der Inhaltskontrolle ausgenommen sind, gilt.

Gewährleistungsfristen

Bei Kauf- und Werkvertrag beträgt die Gewährleistungsfrist zwei Jahre.

Mängelanzeigespflicht

Für nicht offensichtliche Mängel darf die Mängelanzeigefrist nicht kürzer als ein Jahr in den AGB gesetzt werden. Fristbeginn ist der gesetzliche Verjährungsbeginn.

Aufwendungsersatz bei Nacherfüllung

Der Verkäufer hat gemäß § 439 Abs. 2 BGB die zum Zwecke der Nacherfüllung erforderlichen Aufwendungen (z. B. Transport-, Wege-, Arbeits- und Materialkosten) zu tragen. Diese Pflicht darf durch AGB nicht ausgeschlossen werden.

Mängelhaftung – Verkäufer muss Aus- und Einbaukosten übernehmen

Das neue Gesetz zur Nacherfüllung gem. Paragraph 439 Abs. 3 S. 1 des Bürgerlichen Gesetzbuches (BGB) bestimmt, dass der Verkäufer im Rahmen der Nacherfüllung verpflichtet ist, dem Käufer die notwendigen Aufwendungen für den Aus- und Einbau oder die Anbringung der mangelfreien Sache zu ersetzen, wenn der Käufer die mangelhafte Sache gemäß ihrer Art und

ihrem Verwendungszweck in eine andere Sache eingebaut oder an eine andere Sache angebracht hat. Gemäß Paragraph 445a BGB kann der Verkäufer darüber hinaus seinen Lieferanten in Regress zu nehmen. Der Verkäufer haftet aber nur dann, wenn der Käufer gutgläubig war. Die Rechte des Käufers sind mithin ausgeschlossen, wenn der

Käufer im Zeitpunkt des Einbaus den Mangel kannte oder infolge grober Fahrlässigkeit nicht kannte.

Beschränkung auf Nacherfüllung

Der Käufer kann bei einer mangelhaften Sache als Nacherfüllung nach seiner Wahl die Beseitigung des Mangels oder die Lieferung einer mangelfreien Sache oder bei Vorliegen der Voraussetzungen auch Schadenersatz verlangen. Erst wenn die Nacherfüllung nicht gelingt, nicht möglich oder nicht zumutbar ist, kann der Käufer – in zweiter Linie – Gewährleistungsrechte geltend machen: Rücktritt oder Minderung. Beschränkungen allein auf die Nacherfüllung sind unwirksam, wenn dem anderen Vertragsteil bei Fehlschlägen der Nacherfüllung das Minderungsrecht aberkannt wird.

Haftungsbeschränkungen

Jeder Ausschluss oder eine Begrenzung der Haftung für Schäden aus der Verletzung des Lebens, des Körpers oder der Gesundheit, die auf einer vorsätzlichen oder fahrlässigen Pflichtverletzung des Verwenders oder einer vorsätzlichen oder fahrlässigen Pflichtverletzung eines gesetzlichen Vertreters oder Erfüllungsgehilfen des Verwenders beruhen, ist unwirksam.

Höhe der Verzugszinsen

Ab Beginn des Verzugs schuldet der Käufer dem Verkäufer zusätzlich zum KVerzugszinsen. Ist an dem Kaufvertrag ein Verbraucher beteiligt, sei es als Käufer oder als Verkäufer, beträgt der Zinssatz 5 % über dem Basiszinssatz. Bei Kaufverträgen zwischen Unternehmern wird der Zinssatz durch die Schuldrechtsreform auf 8 % über dem Basiszinssatz erhöht.

Unter <https://www.bundesbank.de/de/bundesbank/organisation/agb-und-regelungen/basiszinssatz-607820> können die aktuellen Basiszinssätze ermittelt werden.



An aerial photograph of a dense forest. The trees are mostly coniferous and have a golden-brown or orange hue, suggesting autumn. They are set against a very dark, almost black background, which makes the trees stand out. The lighting is dramatic, with some trees appearing more brightly lit than others, creating a sense of depth and texture.

ARC8

MORE INFORMATION:
WWW.ARC8BICYCLES.COM